

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/785,353	02/24/2004	Lars Karlsson	ADV4-H61	8962
7590 07/07/2006		EXAMINER		
Karl M. Steins			MULL, FRED H	
Steins & Associates Suite 120			ART UNIT	PAPER NUMBER
2333 Camino del Rio South			3662	
San Diego, CA 92108			DATE MAILED: 07/07/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary		Application No.	Applicant(s)				
		10/785,353	KARLSSON ET AL.				
		Examiner	Art Unit				
		Fred H. Mull	3662				
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1)	Responsive to communication(s) filed on <u>06 Ju</u>	ıne 2006.					
•		action is non-final.					
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
,—	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4)⊠	☑ Claim(s) <u>1-15</u> is/are pending in the application.						
•	4a) Of the above claim(s) is/are withdrawn from consideration.						
5)	Claim(s) is/are allowed.						
6)⊠	☑ Claim(s) <u>1-15</u> is/are rejected.						
7)	Claim(s) is/are objected to.						
8)□	Claim(s) are subject to restriction and/or election requirement.						
Applicati	on Papers						
9)□ :	The specification is objected to by the Examine	r.					
	10)⊠ The drawing(s) filed on <u>24 February 2004</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
•	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority u	inder 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
2) 🔲 Notica 3) 🔲 Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:					

DETAILED ACTION

Response to Arguments

- 1. Applicant's arguments with respect to various objection(s), have been fully considered and are persuasive. The objections have been withdrawn.
- Applicant's arguments with respect to the rejection(s) of claims 1-16 over 35 USC
 have been fully considered but they are not persuasive.

Applicant is invited to add the language to the specification that applicant suggest starring on the final paragraph of p. 8 of the amendment. However, this is still some confusion.

It appears that at least part of the confusion here comes from the definition of "cross-over point". According to p. 9 of the specification, lines 20-21, "A cross-over point is the intersection between the last best LOB data entry, and the newly arrived LOB; typically a point where two LOB's cross (a position having a fairly high confidence level)." However, it is not clear how this is so, since in Fig. 9, the cross-over point (PP(0)) appears to be defined by a single LOB. There is no illustration in any drawing how the cross-over point is determined. Is the cross-over point formed by LOB's at first and second times, and then the connecting vector formed from the cross-over point and a LOB at a third time?

3. Applicant's arguments with respect to the rejection(s) of claims 8 over 35 USC 112 have been fully considered and are persuasive. The rejection(s) of these claims have been withdrawn.

Application/Control Number: 10/785,353 Page 3

Art Unit: 3662

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

4. Claims 1-15 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

It is unclear how applicant's method is carried out. Fig. 6 illustrates the method. Fig. 6 shows the point of view of the DF Set's reference frame. But it is still unclear as to how the cross-over point is determined in the figure.

Allowable Subject Matter

5. Claim(s) 1-15 would be allowable if amended to overcome the rejection(s) under 35 U.S.C. 112, 1st paragraph, set forth in this Office action, without the addition of new matter.

Conclusion

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 3662

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Fred H. Mull whose telephone number is 571-272-6975. The examiner can normally be reached on Monday through Friday from approximately 9-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas H. Tarcza can be reached on 571-272-6979. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/785,353 Page 5

Art Unit: 3662

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Fred H. Mull Examiner Art Unit 3662

fhm

THOMAS H. TARCZA SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3600